

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"6021114".PN.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/09 16:05
S4	1608	370/229.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 08:28
S5	1781	370/230.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 08:28
S6	759	370/232.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 08:28
S7	130	370/234.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 08:28
S8	813	370/310.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 09:07
S9	47648	(monitor\$3 calculat\$3 measur\$3 determ\$8) NEAR3 (network system) NEAR3 (activity state busy condition status situation)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 16:58
S10	93	(S4 AND S9) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 09:17
S11	100	(S5 AND S9) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 09:18
S12	62	(S6 AND S9) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 09:18
S13	8	(S7 AND S9) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 09:18
S14	24	(S8 AND S9) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 09:18
S16	28603	(monitor\$3 calculat\$3 measur\$3 determ\$8 analyz\$3) NEAR3 (packet cell PDU frame datagram) NEAR3 (activity state busy condition status situation)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:13
S17	7155	S16 [bsum]	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 16:59

EAST Search History

S18	452	(S17 AND "370"/\$.ccls.) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:00
S19	217	S18 AND (telephone radio)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:02
S20	191	S19 AND (@ad<="20020730" @rlad<="20020730" @ptad<="20020730")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:12
S21	26	S19 NOT S20	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:03
S22	3560	370/252.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:12
S23	140	S16 AND S22	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/10 17:16
S24	107	S23 AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 07:53
S25	256017	(establish\$3 creat\$3 open setup) near3 (channel link.path)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 07:56
S26	2416	S25 SAME ((network system) NEAR3 (activity state busy condition status situation))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:01
S27	591	S26 [bsum]	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 07:57
S28	183	(S27 AND "370"/\$.ccls.) AND (@ad<="20030728" @rlad<="20030728" @ptad<="20030728")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 07:57
S29	167	(S27 AND "370"/\$.ccls.) AND (@ad<="20020730" @rlad<="20020730" @ptad<="20020730")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:02
S30	46	S25 SAME ((update refresh) NEAR4 ((network system) NEAR3 (activity state busy condition status situation)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:02
S31	4	(S30 AND "370"/\$.ccls.) AND (@ad<="20020730" @rlad<="20020730" @ptad<="20020730")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:07
S35	3221	(activate enable) NEAR3 (program application) WITH (mobile terminal)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:20

EAST Search History

S36	455	(S35 [bsum]) AND (@ad<="20020730" @rlad<="20020730" @ptad<="20020730")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:21
S37	43	S36 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/11 08:21